

Twilight Dimming Controller



<p>Application</p>	<p>Twilight Dimming Controller - light sensor used for automatically controlling the lights on a heliport or helideck depending on the lighting intensity</p>						
<p>Product Code</p>	<p>AL - 111 - AX</p> <table data-bbox="555 846 1377 969"> <tr> <td>Series Indicator (Airfield Lighting)</td> <td>AL</td> </tr> <tr> <td>Product Indicator</td> <td>111</td> </tr> <tr> <td>Description of product type (accessory)</td> <td>AX</td> </tr> </table>	Series Indicator (Airfield Lighting)	AL	Product Indicator	111	Description of product type (accessory)	AX
Series Indicator (Airfield Lighting)	AL						
Product Indicator	111						
Description of product type (accessory)	AX						
<p>Description</p>	<p>Double twilight sensor.</p> <p>Works together with a beacon controllers.</p> <p>When the light intensity is less than 100 lx the controller will change the brightness to 10%. When the light intensity is between 100 and 800 lx the controller will change the brightness to 30%. When the light intensity is more than 900 lx the controller will change the brightness to 100%.</p>						



Signalight

+40 254 515 465
office@signalight.com

36 Lunca Street, Petrosani,
Hunedoara County, Romania

www.signalight.com