




Polaris Remote Control



<p>Product Code</p>	<p>AL-165-XX-AX</p> <table border="0"> <tr> <td>Series Indicator (Airfield Lighting)</td> <td>AL</td> </tr> <tr> <td>Product Indicator</td> <td>165</td> </tr> <tr> <td>Description of product type (Accessory)</td> <td>AX</td> </tr> </table>	Series Indicator (Airfield Lighting)	AL	Product Indicator	165	Description of product type (Accessory)	AX
Series Indicator (Airfield Lighting)	AL						
Product Indicator	165						
Description of product type (Accessory)	AX						
<p>Description</p>	<p>The radio remote control is designed to control the Polaris lights.</p>						
<p>Features</p>	<p>The remote control can be preconfigured at the factory to operate on one of the following frequencies: 868 Mhz for Europe, 915 Mhz for the United States, or optionally 433 Mhz.</p> <p>The range extends up to 10 km in direct line of sight under ideal conditions.</p> <p>Also, the remote control can operate the lights in two modes:</p> <ul style="list-style-type: none"> - visible mode (visible light) - invisible mode (infrared). 						
<p>Electrical Characteristics</p>	<p>The remote control is powered by a standard 9-volt battery.</p> <div style="text-align: center;">  </div>						

Mechanical Characteristics

Dimensions:
Material: aluminum





Signalight

+40 254 515 465
office@signalight.com

36 Lunca Street, Petrosani,
Hunedoara County, Romania

www.signalight.com